



# MOSAICS


# ALUCO

TILES

POWERED BY  LANKATILES

# PICK A COLOUR

Tailor your space to your exact taste  
with our customizable tile colors.  
Your vision, your style - brought to life.







|                     |          |
|---------------------|----------|
| COLLECTION OVERVIEW | ----- 04 |
|---------------------|----------|

#### **PORCELAIN MOSAICS**

|                   |          |
|-------------------|----------|
| BASKET WEAVE      | ----- 05 |
| BEVEL             | ----- 07 |
| CUBE              | ----- 09 |
| ELONGATED FAN     | ----- 11 |
| ELONGATED HEXAGON | ----- 13 |
| FAN               | ----- 15 |
| FLAT              | ----- 17 |
| HEXAGON           | ----- 19 |
| OCTAGON           | ----- 21 |
| PICKET            | ----- 23 |
| ROUND HEAD        | ----- 25 |
| SQUARE            | ----- 27 |

#### **CERAMIC MOSAICS**

|               |          |
|---------------|----------|
| ARABESQUE     | ----- 29 |
| CIRCULAR      | ----- 31 |
| DIAMONDBACK   | ----- 33 |
| FENCE         | ----- 35 |
| FLETCHING     | ----- 37 |
| GEOMETRICA    | ----- 39 |
| HERRINGBONE   | ----- 41 |
| LANTERN       | ----- 43 |
| PICKET        | ----- 45 |
| SOLDIER STACK | ----- 47 |

## COLLECTION OVERVIEW

| SERIES            | BODY | FINISH | APPLICATION  | SHEET SIZE   | WATER ABSORPTION |
|-------------------|------|--------|--------------|--------------|------------------|
| BASKET WEAVE      | P    | M      | WALL         | 300x300mm    | ≤0.5%            |
| BEVEL             | P    | G      | WALL         | 291x295.5mm  | ≤0.5%            |
| CUBE              | P    | G      | FLOOR / WALL | 266x307mm    | ≤0.5%            |
| ELONGATED FAN     | P    | G      | WALL         | 288x268mm    | ≤0.5%            |
| ELONGATED HEXAGON | P    | G      | WALL         | 268x294mm    | ≤0.5%            |
| FAN               | P    | M      | WALL         | 259x273mm    | ≤0.5%            |
| FLAT              | P    | M G    | FLOOR / WALL | 291x295.5mm  | ≤0.5%            |
| HEXAGON           | P    | M      | FLOOR / WALL | 281x325mm    | ≤0.5%            |
| OCTAGON           | P    | M      | FLOOR / WALL | 295x295mm    | ≤0.5%            |
| PICKET            | P    | G      | WALL         | 258x275.75mm | ≤0.5%            |
| ROUND HEAD        | P    | M G    | WALL         | 290x300mm    | ≤0.5%            |
| SQUARE            | P    | M G    | FLOOR / WALL | 306x306mm    | ≤0.5%            |
| ARABESQUE         | C    | G      | WALL         | 257x299mm    | <18%             |
| CIRCULAR          | C    | M      | WALL         | 262x262mm    | <18%             |
| DIAMONDBACK       | C    | G      | WALL         | 264x319mm    | <18%             |
| FENCE             | C    | G      | WALL         | 292x283mm    | <18%             |
| FLETCHING         | C    | G      | WALL         | 285x300mm    | <18%             |
| GEOMETRICA        | C    | G      | WALL         | 284x328mm    | <18%             |
| HERRINGBONE       | C    | G      | WALL         | 283x283mm    | <18%             |
| LANTERN           | C    | G      | WALL         | 279x329mm    | <18%             |
| PICKET            | C    | G      | WALL         | 280x295mm    | <18%             |
| SOLDIER STACK     | C    | G      | WALL         | 300x300mm    | <18%             |

P PORCELAIN
 C CERAMIC
 G GLOSS
 M MATT


## BASKET WEAVE PORCELAIN MOSAICS







## BASKET WEAVE PORCELAIN MOSAICS



### PRODUCT PERFORMANCE

### ISO#

### RESULTS

|                               |              |           |
|-------------------------------|--------------|-----------|
| Water Absorption              | ISO 10545-3  | ≤0.5%     |
| Stain Resistance              | ISO 10545-14 | Class 5   |
| Household Chemical Resistance | ISO 10545-13 | Resistant |
| Frost Resistance              | ISO 10545-12 | Resistant |

|             |      |
|-------------|------|
| FINISH      | MATT |
| APPLICATION | WALL |






## BEVEL PORCELAIN MOSAICS





## BEVEL PORCELAIN MOSAICS



### PRODUCT PERFORMANCE

### ISO#

### RESULTS

|                               |              |           |
|-------------------------------|--------------|-----------|
| Water Absorption              | ISO 10545-3  | ≤0.5%     |
| Stain Resistance              | ISO 10545-14 | Class 5   |
| Household Chemical Resistance | ISO 10545-13 | Resistant |
| Frost Resistance              | ISO 10545-12 | Resistant |

|             |       |
|-------------|-------|
| FINISH      | GLOSS |
| APPLICATION | WALL  |






## CUBE PORCELAIN MOSAICS





## CUBE PORCELAIN MOSAICS



### PRODUCT PERFORMANCE

| PRODUCT PERFORMANCE           | ISO#         | RESULTS   |
|-------------------------------|--------------|-----------|
| Water Absorption              | ISO 10545-3  | ≤0.5%     |
| Stain Resistance              | ISO 10545-14 | Class 5   |
| Household Chemical Resistance | ISO 10545-13 | Resistant |
| Frost Resistance              | ISO 10545-12 | Resistant |

FINISH

GLOSS

APPLICATION

FLOOR / WALL






## ELONGATED HEXAGON PORCELAIN MOSAICS







## ELONGATED HEXAGON PORCELAIN MOSAICS



| PRODUCT PERFORMANCE           |       | ISO#         | RESULTS   |
|-------------------------------|-------|--------------|-----------|
| Water Absorption              |       | ISO 10545-3  | ≤0.5%     |
| Stain Resistance              |       | ISO 10545-14 | Class 5   |
| Household Chemical Resistance |       | ISO 10545-13 | Resistant |
| Frost Resistance              |       | ISO 10545-12 | Resistant |
| FINISH                        | GLOSS |              |           |
| APPLICATION                   | WALL  |              |           |






## FAN PORCELAIN MOSAICS







## FAN PORCELAIN MOSAICS



### PRODUCT PERFORMANCE

### ISO#

### RESULTS

|                               |              |           |
|-------------------------------|--------------|-----------|
| Water Absorption              | ISO 10545-3  | ≤0.5%     |
| Stain Resistance              | ISO 10545-14 | Class 5   |
| Household Chemical Resistance | ISO 10545-13 | Resistant |
| Frost Resistance              | ISO 10545-12 | Resistant |

FINISH

MATT

APPLICATION

WALL






## FLAT PORCELAIN MOSAICS





## FLAT PORCELAIN MOSAICS



### PRODUCT PERFORMANCE

### ISO#

### RESULTS

|                               |              |           |
|-------------------------------|--------------|-----------|
| Water Absorption              | ISO 10545-3  | ≤0.5%     |
| Stain Resistance              | ISO 10545-14 | Class 5   |
| Household Chemical Resistance | ISO 10545-13 | Resistant |
| Frost Resistance              | ISO 10545-12 | Resistant |

### FINISH

GLOSS / MATT

### APPLICATION

FLOOR / WALL






## HEXAGON PORCELAIN MOSAICS







## HEXAGON PORCELAIN MOSAICS



### PRODUCT PERFORMANCE

|                               | ISO#         | RESULTS   |
|-------------------------------|--------------|-----------|
| Water Absorption              | ISO 10545-3  | ≤0.5%     |
| Stain Resistance              | ISO 10545-14 | Class 5   |
| Household Chemical Resistance | ISO 10545-13 | Resistant |
| Frost Resistance              | ISO 10545-12 | Resistant |

FINISH

MATT

APPLICATION

FLOOR / WALL






## ELONGATED FAN PORCELAIN MOSAICS







## ELONGATED FAN PORCELAIN MOSAICS



### PRODUCT PERFORMANCE

| PRODUCT PERFORMANCE           | ISO#         | RESULTS   |
|-------------------------------|--------------|-----------|
| Water Absorption              | ISO 10545-3  | ≤0.5%     |
| Stain Resistance              | ISO 10545-14 | Class 5   |
| Household Chemical Resistance | ISO 10545-13 | Resistant |
| Frost Resistance              | ISO 10545-12 | Resistant |

FINISH

GLOSS

APPLICATION

WALL




## OCTAGON PORCELAIN MOSAICS







## OCTAGON PORCELAIN MOSAICS



### PRODUCT PERFORMANCE

### ISO#

### RESULTS

|                               |              |           |
|-------------------------------|--------------|-----------|
| Water Absorption              | ISO 10545-3  | ≤0.5%     |
| Stain Resistance              | ISO 10545-14 | Class 5   |
| Household Chemical Resistance | ISO 10545-13 | Resistant |
| Frost Resistance              | ISO 10545-12 | Resistant |

|             |              |
|-------------|--------------|
| FINISH      | MATT         |
| APPLICATION | FLOOR / WALL |






## PICKET PORCELAIN MOSAICS







## PICKET PORCELAIN MOSAICS



### PRODUCT PERFORMANCE

### ISO#

### RESULTS

|                               |              |           |
|-------------------------------|--------------|-----------|
| Water Absorption              | ISO 10545-3  | ≤0.5%     |
| Stain Resistance              | ISO 10545-14 | Class 5   |
| Household Chemical Resistance | ISO 10545-13 | Resistant |
| Frost Resistance              | ISO 10545-12 | Resistant |

FINISH

GLOSS

APPLICATION

WALL




## ROUND HEAD PORCELAIN MOSAICS







## ROUND HEAD PORCELAIN MOSAICS



### PRODUCT PERFORMANCE


| PRODUCT PERFORMANCE           | ISO#         | RESULTS   |
|-------------------------------|--------------|-----------|
| Water Absorption              | ISO 10545-3  | ≤0.5%     |
| Stain Resistance              | ISO 10545-14 | Class 5   |
| Household Chemical Resistance | ISO 10545-13 | Resistant |
| Frost Resistance              | ISO 10545-12 | Resistant |

FINISH GLOSS / MATT


APPLICATION WALL




## SQUARE PORCELAIN MOSAICS







## SQUARE PORCELAIN MOSAICS



### PRODUCT PERFORMANCE

|                               | ISO#         | RESULTS   |
|-------------------------------|--------------|-----------|
| Water Absorption              | ISO 10545-3  | ≤0.5%     |
| Stain Resistance              | ISO 10545-14 | Class 5   |
| Household Chemical Resistance | ISO 10545-13 | Resistant |
| Frost Resistance              | ISO 10545-12 | Resistant |

|             |              |
|-------------|--------------|
| FINISH      | GLOSS / MATT |
| APPLICATION | FLOOR / WALL |






## ARABESQUE CERAMIC MOSAICS







## ARABESQUE CERAMIC MOSAICS



### PRODUCT PERFORMANCE

### ISO#

### RESULTS

|                               |              |           |
|-------------------------------|--------------|-----------|
| Water Absorption              | ISO 10545-3  | <18%      |
| Stain Resistance              | ISO 10545-14 | Class 5   |
| Household Chemical Resistance | ISO 10545-13 | Resistant |
| Frost Resistance              | ISO 10545-12 | No        |

|             |       |
|-------------|-------|
| FINISH      | GLOSS |
| APPLICATION | WALL  |






## CIRCULAR CERAMIC MOSAICS







## CIRCULAR CERAMIC MOSAICS



### PRODUCT PERFORMANCE


| PRODUCT PERFORMANCE           | ISO#         | RESULTS   |
|-------------------------------|--------------|-----------|
| Water Absorption              | ISO 10545-3  | <18%      |
| Stain Resistance              | ISO 10545-14 | Class 5   |
| Household Chemical Resistance | ISO 10545-13 | Resistant |
| Frost Resistance              | ISO 10545-12 | No        |

FINISH MATT

APPLICATION WALL




## DIAMONDBACK CERAMIC MOSAICS







## DIAMONDBACK CERAMIC MOSAICS



### PRODUCT PERFORMANCE

### ISO#

### RESULTS


|                               |              |           |
|-------------------------------|--------------|-----------|
| Water Absorption              | ISO 10545-3  | <18%      |
| Stain Resistance              | ISO 10545-14 | Class 5   |
| Household Chemical Resistance | ISO 10545-13 | Resistant |
| Frost Resistance              | ISO 10545-12 | No        |

|             |       |
|-------------|-------|
| FINISH      | GLOSS |
| APPLICATION | WALL  |






# GEOMETRICA CERAMIC MOSAICS







## GEOMETRICA CERAMIC MOSAICS



### PRODUCT PERFORMANCE

### ISO#

### RESULTS


|                               |              |           |
|-------------------------------|--------------|-----------|
| Water Absorption              | ISO 10545-3  | <18%      |
| Stain Resistance              | ISO 10545-14 | Class 5   |
| Household Chemical Resistance | ISO 10545-13 | Resistant |
| Frost Resistance              | ISO 10545-12 | No        |

|             |       |
|-------------|-------|
| FINISH      | GLOSS |
| APPLICATION | WALL  |






## HERRINGBONE CERAMIC MOSAICS







## HERRINGBONE CERAMIC MOSAICS



| PRODUCT PERFORMANCE           | ISO#         | RESULTS   |
|-------------------------------|--------------|-----------|
| Water Absorption              | ISO 10545-3  | <18%      |
| Stain Resistance              | ISO 10545-14 | Class 5   |
| Household Chemical Resistance | ISO 10545-13 | Resistant |
| Frost Resistance              | ISO 10545-12 | No        |

|             |       |
|-------------|-------|
| FINISH      | GLOSS |
| APPLICATION | WALL  |






## LANTERN CERAMIC MOSAICS







## LANTERN CERAMIC MOSAICS



### PRODUCT PERFORMANCE

### ISO#

### RESULTS

|                               |              |           |
|-------------------------------|--------------|-----------|
| Water Absorption              | ISO 10545-3  | <18%      |
| Stain Resistance              | ISO 10545-14 | Class 5   |
| Household Chemical Resistance | ISO 10545-13 | Resistant |
| Frost Resistance              | ISO 10545-12 | No        |

|             |       |
|-------------|-------|
| FINISH      | GLOSS |
| APPLICATION | WALL  |




## FENCE CERAMIC MOSAICS







## FENCE CERAMIC MOSAICS



### PRODUCT PERFORMANCE

| PRODUCT PERFORMANCE           | ISO#         | RESULTS   |
|-------------------------------|--------------|-----------|
| Water Absorption              | ISO 10545-3  | <18%      |
| Stain Resistance              | ISO 10545-14 | Class 5   |
| Household Chemical Resistance | ISO 10545-13 | Resistant |
| Frost Resistance              | ISO 10545-12 | No        |

|             |       |
|-------------|-------|
| FINISH      | GLOSS |
| APPLICATION | WALL  |






## PICKET CERAMIC MOSAICS







## PICKET CERAMIC MOSAICS



### PRODUCT PERFORMANCE

### ISO#

### RESULTS

|                               |              |           |
|-------------------------------|--------------|-----------|
| Water Absorption              | ISO 10545-3  | <18%      |
| Stain Resistance              | ISO 10545-14 | Class 5   |
| Household Chemical Resistance | ISO 10545-13 | Resistant |
| Frost Resistance              | ISO 10545-12 | No        |

|             |       |
|-------------|-------|
| FINISH      | GLOSS |
| APPLICATION | WALL  |




## SOLDIER STACK CERAMIC MOSAICS







## SOLDIER STACK CERAMIC MOSAICS



### PRODUCT PERFORMANCE

### ISO#

### RESULTS

|                               |              |           |
|-------------------------------|--------------|-----------|
| Water Absorption              | ISO 10545-3  | <18%      |
| Stain Resistance              | ISO 10545-14 | Class 5   |
| Household Chemical Resistance | ISO 10545-13 | Resistant |
| Frost Resistance              | ISO 10545-12 | No        |

|             |       |
|-------------|-------|
| FINISH      | GLOSS |
| APPLICATION | WALL  |




## FLETCHING CERAMIC MOSAICS







## FLETCHING CERAMIC MOSAICS



| PRODUCT PERFORMANCE           | ISO#         | RESULTS   |
|-------------------------------|--------------|-----------|
| Water Absorption              | ISO 10545-3  | <18%      |
| Stain Resistance              | ISO 10545-14 | Class 5   |
| Household Chemical Resistance | ISO 10545-13 | Resistant |
| Frost Resistance              | ISO 10545-12 | No        |

|             |       |
|-------------|-------|
| FINISH      | GLOSS |
| APPLICATION | WALL  |





# ALUCO

TILES


---

POWERED BY  LANKATILES

   +30 213 048 2741 | +30 6945 173 437

 [info@aluco.gr](mailto:info@aluco.gr)

 [www.aluco.gr](http://www.aluco.gr)

 63, Dragatsaniou Str. Piraeus 18545, Greece